

Road Racing – CARBON CENTURION



Road bicycles are designed to be ridden fast on smooth asphalt. They have smooth, skinny tires and "drop" handlebars, and can be used for on-road training and racing.

Sizing

Body height: approx: 1.40 m - 1.96 m

Body size and inner leg length are essential for determining the frame size, the latter being measured on site. Due to the different types of bicycle frames measuring is essential. The bicycle is adjusted correctly by our experts (saddle height, pedal and saddle change).

Huerzeler - The Cycling Experience uses its own frame sizes, ie- The details of the respective manufacturers are different.

Handlebar width, crank and stem length are matched to the frame sizes



Specifications

Frame	Centurion Full Carbon
Size	46-62 cm
Fork	Centurion Full Carbon
Groupset	SHIMANO ULTEGRA 6800 11S
Cassette sprocket	SHIMANO CS-HG20 11-32T (11sp)
Front hub	DT Swiss 350
Rear hub	DT Swiss 350
Rims	DT Swiss 32 spokes
Tires	CONTINENTAL 25MM 4000S RR
Handlebar	FSA ALLOY
Stem	FSA OS 190 LX 31,8MM RR
Seat post	FSA 27.2 MM BLACK FSA
Saddle	FIZIK ALIANTE DELTA BLACK

CARBON CENTURION

1 Day	€ 45
2 Days	€ 90
3 Days	€ 125
4 Days	€ 160
5 Days	€ 160
6 Days	€ 160
7 Days	€ 160
8 Days	€ 182
9 Days	€ 204
10 Days	€ 226
11 Days	€ 248
12 Days	€ 270
13 Days	€ 292
14 Days	€ 314
<i>extra day (after 14)</i>	€ 22

Gravel – NUROAD SL CUBE



Gravel bikes are drop-bar bikes that allow you to veer off paved roads and onto more exciting terrain designed to be ridden on a wide variety of surfaces and not just gravel.

Sizing

Body height: approx: 1.57 m - 1.94 m

Body size and inner leg length are essential for determining the frame size, the latter being measured on site. Due to the different types of bicycle frames measuring is essential. The bicycle is adjusted correctly by our experts (saddle height, pedal and saddle change).

Huerzeler - The Cycling Experience uses its own frame sizes, ie- The details of the respective manufacturers are different.

Handlebar width, crank and stem length are matched to the frame sizes



Specifications

FRAME	Aluminium 6061 T6 Superlite, Gravel Comfort Geometry, Flat Mount Disc, Fender & Rack Option, 12x142mm, AXH
SIZE	50, 53, 56, 58, 61
FORK	CUBE Nuroad Dis C:62 Technology, Carbon Blades, 1 1/8" - 1 1/2" Tapered, Flat Mount, 12x100mm
BRAKE SYSTEM	Shimano GRX BR-RX810, Hydr. Disc Brake, Flat Mount (160/160)
REAR DERAILLEUR	Shimano GRX RD-RX812, Direct Mount, 11-Speed
SHIFT/ BRAKE LEVERS	Shimano GRX ST-RX810
CRANKSET	Shimano GRX FC-RX600, 40T, 170mm (50/53cm), 172.5mm (56/58cm), 175mm (61cm)
CASSETTE	Shimano CS-M7000, 11-42T
CHAIN	Shimano CN-HG601-11
WHEELSET	Mavic Allroad Disc
TYRES	Schwalbe G-One Allround, Kevlar, 40-622

GRAVEL CUBE


1 Day	€ 45
2 Days	€ 90
3 Days	€ 125
4 Days	€ 160
5 Days	€ 160
6 Days	€ 160
7 Days	€ 160
8 Days	€ 182
9 Days	€ 204
10 Days	€ 226
11 Days	€ 248
12 Days	€ 270
13 Days	€ 292
14 Days	€ 314
<i>extra day (after 14)</i>	€ 22

E-bike - IDEAL FUTOUR 428-E9 W



An E-Bike or Pedelec is a great way to get around. It has all the advantages of a conventional bicycle, combined with the power of a battery-powered motor. Cycling is fun but with the added support of a motor you can get around more easily, especially when you're climbing hills or accelerating.

Sizing



Specifications

Frame	E-Touring, AL6061-T4/T6, Shimano STEPS, hydroforming, internal brake and shifting cables
Size	46/50/54 cm
Fork	RST Volant-T, 60 mm, adjustable preload
Drive Unit	Shimano STEPS center drive unit DU-E6002, 36V, 250W, 50Nm, light off-road
Battery	Shimano STEPS battery (carrier) BT-E6000, 36V, 11.6Ah, 418Wh
Display	Shimano STEPS large display SC-E6010
Rear derailleur	Shimano Deore RD-M591
Shifter	Shimano STEPS SW-E6000 switch // Shimano Acera SL-M3000
Crank set	Shimano STEPS FC-E6010, 38T
Cassette sprocket	Shimano CS-HG201-9, 11-36T
Chain	Shimano CN-HG6070
Front hub	Shimano HB-TX505
Rear hub	Shimano FH-TX505
Rims	Mach1 640 Disc, 622-21
Tires	Schwalbe Energizer Plus GreenGuard, reflective, 47-622 (28*1.75)
Brakes	Shimano BR-M315/BL-M315 disc brakes, 180/180 mm
Handlebar	Humpert Ergotec Ladytown, 620 mm, safety level 4
Stem	Humpert Ergotec Octopus Ahead, adjustable angle, 31.8 mm, safety level 4
Seat post	Humpert Ergotec Atar, size 31.6 mm, safety level 4

PEDELECS


1 Day	€ 45
2 Days	€ 88
3 Days	€ 128
4 Days	€ 165
5 Days	€ 199
6 Days	€ 230
7 Days	€ 258
8 Days	€ 284
9 Days	€ 307
10 Days	€ 327
11 Days	€ 344
12 Days	€ 358
13 Days	€ 369
14 Days	€ 378
<i>extra day (after 14)</i>	<i>€ 27</i>

MTB Full Suspension - IDEAL VSR COMP 26"



Full-suspension mountain bikes are equipped with both front and rear suspension suitable for more extreme off-road terrain.

Sizing



Specifications

Frame	Full Suspension 26, AL7005-T4/T6
Size	40/44/49/53 cm
Fork	RST Blaze-26-RL, 100 mm, Remote Lock Out, Preload Adjust
Rear shock	Kind Shok A5-RE air
Front derailleur	Shimano Altus, FD-M371
Rear derailleur	Shimano Altus, RD-M370-SGS
Shifter	Shimano Acera, SL-M390
Bottom bracket	Shimano BB-UN26
Crank set	Shimano FC-M371, 44-32-22T, <=44 cm 170 mm, else 175 mm
Cassette sprocket	Shimano CS-HG20, 11-13-15-17-20-23-26-30-34T (27sp)
Chain	Shimano CN-HG53
Front hub	Shimano HB-RM66
Rear hub	Shimano FH-RM66
Rims	Cross X-6, 559*21*20.5mm
Tires	Kenda K1134, 26*2.10
Brakes	Shimano BR-M395 Hydraulic Disc Brakes, 180/160 mm Rotors
Handlebar	ID PROJECT, Riser Bar, 66 cm, Backsweep 5°, Rise 15 mm
Stem	ID PROJECT, <=44 cm 75 mm, else 90 mm, 7°
Seat post	ID PROJECT, 24 mm Offset, 31.6*350 mm
Saddle	Selle Italia Q-Bik-Flow

MTB FULL SUSPENSION 26"


1 Day	€ 32
2 Days	€ 59
3 Days	€ 85
4 Days	€ 110
5 Days	€ 132
6 Days	€ 153
7 Days	€ 172
8 Days	€ 189
9 Days	€ 204
10 Days	€ 218
11 Days	€ 229
12 Days	€ 239
13 Days	€ 246
14 Days	€ 252
<i>extra day (after 14)</i>	€ 18

MTB Hardtail - IDEAL BOOMMAX 27.5"



Hard tail Mountain Bicycles are designed for riding rough off-road trails, but can be used as touring bikes, although they would not be as light or efficient.

Sizing



Specifications

Frame	Hardtail 27.5, AL6061-T4/T6, tapered head tube, 40 mm kickstand bracket
Size	40/44/48/52/56 cm
Fork	RST Omega-27.5-RL, 100 mm, remote lock out, preload adjustable and damping
Front derailleur	Shimano Deore, FDM610
Rear derailleur	Shimano Deore XT Shadow, RDM781-SGS
Shifter	Shimano Deore, SLM610
Bottom bracket	Shimano SM-BB52
Crank set	Shimano FCM552, 42-32-24T, <=48 cm 170 mm - else 175 mm
Cassette sprocket	Shimano CS-HG50, 11-13-15-17-19-21-24-28-32-36T
Chain	Shimano CNHG54
Front hub	Shimano Acera, HBM3050
Rear hub	Shimano Acera, FHM3050
Rims	Mach-1 Karma Disc, 584*21C
Tires	Kenda K1027 Kadre, 54-584 (27.5x2.20)
Brakes	Shimano BR-M395/BL-M396 disc brake, 180/160 mm
Handlebar	ID PROJECT, riser bar, 72 cm, backsweep 5°, rise 15 mm, 31.8 mm
Stem	ID PROJECT, <=44 cm 70 mm, else 90 mm, 7°
Seat post	ID PROJECT, straight, 31.6*350 mm
Saddle	Selle Italia Q-BIK-X-CROSS
Kickstand	Rear kickstand 40mm internal

MTB HARDTAIL 27.5


1 Day	€ 32
2 Days	€ 59
3 Days	€ 85
4 Days	€ 110
5 Days	€ 132
6 Days	€ 153
7 Days	€ 172
8 Days	€ 189
9 Days	€ 204
10 Days	€ 218
11 Days	€ 229
12 Days	€ 239
13 Days	€ 246
14 Days	€ 252
<i>extra day (after 14)</i>	€ 18

Touring Disc-Brakes – IDEAL EZIGO



Touring bikes are designed to provide a fairly smooth ride on pavement, but enough grip and cushion on unpaved trails, equipped with lights and fenders.

Sizing



Specifications

Frame	Cross/Trekking 28, AL6061-T4/T6, hydroforming, internal shifting cables
Size	46/50/54 cm
Fork	ZOOM 141, 45 mm, adjustable preload
Front derailleur	Shimano FD-TY710
Rear derailleur	Shimano Altus, RD-M310
Shifters	Shimano Altus SL-M310
Bottom bracket	Shimano BB-UN100
Crank set	Shimano FC-TY301, 48-38-28T
Cassette sprocket	Shimano CS-HG31, 11-32T
Chain	KMC Z7
Front hub	Shimano DH-3D37 hub dynamo, center lock
Rear hub	Shimano FH-TX505
Rims	Cross X-6, 622-21
Tires	Kenda K935 Khan, reflective 40-622
Brakes	Shimano BR-M365/BL-M365 disc brakes, 160/160 mm
Handlebar	id-Project alloy riser bar, 630 mm
Stem	id-Project alloy, 25.4 mm
Seat post	id-Project, 31.6 mm
Saddle	Selle Bassano X33 Volare, 3-Zone-Comfort
Lightning set	AXA Blue Line 15 lux front, Ray Steady LED rear
Mudguards	SKS
Carrier	CarryMore, alloy
Kickstand	Atran rear kickstand
Approx weight	16.6

TOURING DISC-BRAKES


1 Day	€ 32
2 Days	€ 59
3 Days	€ 85
4 Days	€ 110
5 Days	€ 132
6 Days	€ 153
7 Days	€ 172
8 Days	€ 189
9 Days	€ 204
10 Days	€ 218
11 Days	€ 229
12 Days	€ 239
13 Days	€ 246
14 Days	€ 252
<i>extra day (after 14)</i>	€ 18

Touring Disc-Brakes – IDEAL EZIGO LADY



Touring bikes are designed to provide a fairly smooth ride on pavement, but enough grip and cushion on unpaved trails, equipped with lights and fenders.

Sizing



Specifications

Frame	Cross/Trekking 28, AL6061-T4/T6, hydroforming, internal shifting cables
Size	46/50 cm
Fork	ZOOM 141, 45 mm, adjustable preload
Front derailleur	Shimano FD-TY710
Rear derailleur	Shimano Altus, RD-M310
Shifters	Shimano Altus SL-M310
Bottom bracket	Shimano BB-UN100
Crank set	Shimano FC-TY301, 48-38-28T
Cassette sprocket	Shimano CS-HG31, 11-32T
Chain	KMC Z7
Front hub	Shimano DH-3D37 hub dynamo, center lock
Rear hub	Shimano FH-TX505
Rims	Cross X-6, 622-21
Tires	Kenda K935 Khan, reflective 40-622
Brakes	Shimano BR-M365/BL-M365 disc brakes, 160/160 mm
Handlebar	id-Project alloy riser bar, 630 mm
Stem	id-Project alloy, 25.4 mm
Seat post	id-Project, 31.6 mm
Saddle	Selle Bassano X33 Volare, 3-Zone-Comfort
Lightning set	AXA Blue Line 15 lux front, Ray Steady LED rear
Mudguards	SKS
Carrier	CarryMore, alloy
Kickstand	Atran rear kickstand
Approx weight	16.7

TOURING DISC-BRAKES


1 Day	€ 32
2 Days	€ 59
3 Days	€ 85
4 Days	€ 110
5 Days	€ 132
6 Days	€ 153
7 Days	€ 172
8 Days	€ 189
9 Days	€ 204
10 Days	€ 218
11 Days	€ 229
12 Days	€ 239
13 Days	€ 246
14 Days	€ 252
<i>extra day (after 14)</i>	€ 18

Sport Trekking - IDEAL CROSSMO



Sport trekking bikes are ideal for paved or unpaved bike trails, but are not appropriate for rough off-road mountain bike trails. They have front suspension to smooth out small bumps.

Sizing



Specifications

Frame	Cross/Trekking 28, AL6061-T4/T6, hydroforming, internal shifting cables
Size	42//46/50/54/58 cm
Fork	ZOOM 141AMS, alloy, 45mm, adjustable preload
Front derailleur	Shimano FD-TY710
Rear derailleur	Shimano RD-TX800
Shifters	Shimano ST-EF500
Bottom bracket	Shimano BB-UN100
Crank set	Shimano FC-TY301, 48-38-28T
Cassette sprocket	Shimano CS-HG31, 11-32T
Chain	KMC Z7
Front hub	Joytech, alloy
Rear hub	Shimano FH-TX5008
Rims	Mach1, 622-19
Tires	Kenda K192 Courier, reflective 42-622
Brakes	Saccon, V-brakes, alloy
Handlebar	id-Project alloy riser bar, 660 mm
Stem	id-Project alloy, 25.4 mm
Seat post	id-Project, 31.6 mm
Saddle	Selle Royal RVS Lancia
Kickstand	Atran rear kickstand
Approx weight	14.2

SPORT TREKKING


1 Day	€ 25
2 Days	€ 39
3 Days	€ 57
4 Days	€ 73
5 Days	€ 88
6 Days	€ 102
7 Days	€ 115
8 Days	€ 126
9 Days	€ 136
10 Days	€ 145
11 Days	€ 153
12 Days	€ 159
13 Days	€ 164
14 Days	€ 168
<i>extra day (after 14)</i>	€ 12

Sport Trekking - IDEAL CROSSMO (LADY)



Sport trekking bikes are ideal for paved or unpaved bike trails, but are not appropriate for rough off-road mountain bike trails. They have front suspension to smooth out small bumps.

Sizing



Specifications

Frame	Cross/Trekking 28, AL6061-T4/T6, hydroforming, internal shifting cables
Size	Lady 42/46/50/54cm
Fork	ZOOM 141, 45 mm, adjustable preload
Front derailleur	Shimano FD-TY710
Rear derailleur	Shimano Altus RD-M310
Shifters	Shimano ST-EF500
Bottom bracket	Shimano BB-UN100
Crank set	Shimano FC-TY701, 48-38-28T, 170 mm
Cassette sprocket	Shimano CS-HG318, 11-13-15-18-21-24-28-32T
Chain	KMC Z7
Front hub	Joytech alloy, QR
Rear hub	Shimano FH-TX800
Rims	Mach-1 ER-10
Tires	Kenda K192 Kourier, reflective 42-622
Brakes	Miranda Elegance cold forged V-brakes
Handlebar	id-Project riser bar, size 660 mm, rise 30 mm
Stem	id-Project, 90 mm, adjustable angle 10°-50°
Seat post	id-Project, size 31.6 mm, length 350 mm, offset 24 mm
Saddle	Selle Royal RVS Lancia
Kickstand	Atran rear kickstand
Approx weight	14.2

SPORT TREKKING

1 Day	€ 25
2 Days	€ 39
3 Days	€ 57
4 Days	€ 73
5 Days	€ 88
6 Days	€ 102
7 Days	€ 115
8 Days	€ 126
9 Days	€ 136
10 Days	€ 145
11 Days	€ 153
12 Days	€ 159
13 Days	€ 164
14 Days	€ 168
<i>extra day (after 14)</i>	€ 12

Tandem Bike - SCHAUFF 26"



On a two-person tandem bicycle, a couple that usually rides at different speeds on individual bikes can stay together and chat easily for the whole ride. Great for partners of unequal riding ability. You can both ride as hard or easy as you want and nobody has to wait, ever.



TANDEM


1 Day	€ 39
2 Days	€ 68
3 Days	€ 99
4 Days	€ 128
5 Days	€ 154
6 Days	€ 179
7 Days	€ 201
8 Days	€ 221
9 Days	€ 238
10 Days	€ 254
11 Days	€ 267
12 Days	€ 278
13 Days	€ 287
14 Days	€ 294
<i>extra day (after 14)</i>	€ 21

MTB Youth 27.5" - IDEAL STROBE UNI



Hard tail Mountain Bicycles are designed for riding rough off-road trails, but can be used as touring bikes, although they would not be as light or efficient.

Sizing



Specifications

Frame	Hardtail Uni bent top tube, AL6061-T4/T6, hydroforming, internal shifting cables
Size	36/40/44/48 cm
Fork	ZOOM 565D, 100 mm, mechanical lock out, adjustable preload
Front derailleur	Shimano FD-TY700
Rear derailleur	Shimano RD-TX800SGS
Shifters	Shimano SL-M310
Bottom bracket	Shimano BB-UN100
Crank set	Shimano FC-TY301, 42-34-24T
Cassette sprocket	Shimano CS-HG318, 11-34
Chain	KMC Z7
Front hub	Shimano HB-TX505
Rear hub	Shimano FH-TX505
Rims	id-Project alloy double wall for disc, with stainless eyelets
Tires	Kenda K1027 Kadre, 54-584 (27.5*2.20)
Brakes	Shimano BR-M315/BL-M315 disc brakes, 160/160 mm
Handlebar	id-Project riser bar, 640 mm
Stem	id-Project alloy, 28.6 mm
Seat post	id-Project, 31.6 mm
Saddle	Selle Italia X-Base
Aprx weight	14.3

MTB YOUTH 27.5"


1 Day	€ 32
2 Days	€ 59
3 Days	€ 85
4 Days	€ 110
5 Days	€ 132
6 Days	€ 153
7 Days	€ 172
8 Days	€ 189
9 Days	€ 204
10 Days	€ 218
11 Days	€ 229
12 Days	€ 239
13 Days	€ 246
14 Days	€ 252
<i>extra day (after 14)</i>	€ 18

MTB Youth 26" - IDEAL TRIAL UNI



Hard tail Mountain Bicycles are designed for riding rough off-road trails, but can be used as touring bikes, although they would not be as light or efficient.

Sizing



Specifications

Frame	Hardtail Uni bent top tube, AL6061-T4/T6
Size	36/40 cm
Fork	ZOOM 410E, 50 mm
Front Derailleur	Shimano FD-TY500-TS6
Rear Derailleur	Shimano RD-TY300
Shifters	Shimano ST-EF500
Bottom Bracket	Thun
Crankset	Prowheel, 42-34-24T
Cassette	Shimano MF-TZ500, 14-28T
Chain	KMC Z7
Front Hub	Joytech
Rear Hub	Joytech
Rims	Mach1, 559-19, 19mm
Tyres	Kenda K1166, 54-559 (26x2.125)
Brakes	Saccon, V-brakes, αλουμινίου
Handlebars	Riser bar, 620mm
Stem	25.4 mm
Seatpost	30.9 mm
Saddle	Selle Royal RVS
Kickstand	Olona C-50

MTB YOUTH 26"


1 Day	€ 23
2 Days	€ 39
3 Days	€ 57
4 Days	€ 73
5 Days	€ 88
6 Days	€ 102
7 Days	€ 115
8 Days	€ 126
9 Days	€ 136
10 Days	€ 145
11 Days	€ 153
12 Days	€ 159
13 Days	€ 164
14 Days	€ 168
<i>extra day (after 14)</i>	€ 12

MTB Junior 20" - IDEAL STROBE (Suitable for 7-9 years old)



Junior Mountain Bicycles are designed for riding rough off-road trails, but can be used as all-terrain bikes.

Sizing



Specifications

Frame	Hardtail 20 Uni bent top tube, AL6061-T4/T6
Size	25 cm
Fork	ZOOM 410E, 30 mm
Rear derailleur	Shimano RD-TY300
Shifter	Shimano revo shifter SL-RS36
Bottom bracket	Thun cartridge
Crank set	Prowheel, 36T, 140 mm
Cassette sprocket	Shimano MF-TZ21, 14-16-18-20-22-24-28T
Chain	KMC Z50
Front hub	Joytech, alloy
Rear hub	Joytech, alloy
Rims	Mach1 ER-10
Tires	Kenda K1134, 50-406 (20*1.95)
Brakes	Saccon, alloy V-brakes
Handlebar	id-Project riser bar, 540mm wide, 20mm rise, 6° backsweep
Stem	id-Project alloy quill type, 40mm extension, 30° angle
Seat post	id-Project alloy tube, size 27.2, length 300 mm
Saddle	Selle-Royal Candy 20
Kickstand	Alloy kickstand, center-type

MTB JUNIOR 20"


1 Day	€ 23
2 Days	€ 39
3 Days	€ 57
4 Days	€ 73
5 Days	€ 88
6 Days	€ 102
7 Days	€ 115
8 Days	€ 126
9 Days	€ 136
10 Days	€ 145
11 Days	€ 153
12 Days	€ 159
13 Days	€ 164
14 Days	€ 168
<i>extra day (after 14)</i>	€ 12

MTB Junior 20" - IDEAL STROBE (Suitable for 7-9 years old)



Junior Mountain Bicycles are designed for riding rough off-road trails, but can be used as all-terrain bikes.

Sizing



Specifications

Frame	Hardtail 20 Uni bent top tube, AL6061-T4/T6
Size	25 cm
Fork	ZOOM 410E, 30 mm
Rear derailleur	Shimano RD-TY300
Shifter	Shimano revo shifter SL-RS36
Bottom bracket	Thun cartridge
Crank set	Prowheel, 36T, 140 mm
Cassette sprocket	Shimano MF-TZ21, 14-16-18-20-22-24-28T
Chain	KMC Z50
Front hub	Joytech, alloy
Rear hub	Joytech, alloy
Rims	Mach1 ER-10
Tires	Kenda K1134, 50-406 (20*1.95)
Brakes	Saccon, alloy V-brakes
Handlebar	id-Project riser bar, 540mm wide, 20mm rise, 6° backsweep
Stem	id-Project alloy quill type, 40mm extension, 30° angle
Seat post	id-Project alloy tube, size 27.2, length 300 mm
Saddle	Selle-Royal Candy 20
Kickstand	Alloy kickstand, center-type

MTB JUNIOR 20"


1 Day	€ 23
2 Days	€ 39
3 Days	€ 57
4 Days	€ 73
5 Days	€ 88
6 Days	€ 102
7 Days	€ 115
8 Days	€ 126
9 Days	€ 136
10 Days	€ 145
11 Days	€ 153
12 Days	€ 159
13 Days	€ 164
14 Days	€ 168
<i>extra day (after 14)</i>	€ 12

Kids Bikes 12"-18" IDEAL V-TRACK (Suitable for 2-7 years of age)



As the child grows, so does the bike! We have a great range of kids' bikes with 12, 14, 16 & 18 inch wheels. These bikes are designed with a low standover heights; this means that in the event of a crash or a dismount, there is less chance of your child being tangled up in the bike.

Sizing



Specifications

Frame	Junior, AL6061-T4/T6
Size	18"/23cm 16"/21cm 14"/20cm 12"/18cm
Fork	Rigid, HiTen
Bottom bracket	Cups
Crank set	One-Piece, 18"/32T 16"/32T 14"/28T 12"/28T
Cassette sprocket	18T
Chain	KMC
Front hub	Oversize
Rear hub	Oversize
Rims	Alloy
Tires	18"x2.125 16"x2.125 14"x2.125 12-1/2"x1.75
Brakes (18"-16"-14")	Mach1 ER-10
V-brakes	Kenda K1134, 50-406 (20*1.95)
Brakes (12")	Saccon, alloy V-brakes
Calipers	id-Project riser bar, 540mm wide, 20mm rise, 6° backsweep
Handlebar	id-Project riser bar, 18"-16"/52cm 14"-12"/48cm
Stem	id-Project 30mm extension, 15cm quill
Seat post	27,2*250 mm
Saddle	Boys/Girls Comfort, with protection

KIDS V-TRACK 12"-18"

1 Day	€ 13
2 Days	€ 20
3 Days	€ 28
4 Days	€ 37
5 Days	€ 44
6 Days	€ 51
7 Days	€ 57
8 Days	€ 63
9 Days	€ 68
10 Days	€ 73
11 Days	€ 76
12 Days	€ 80
13 Days	€ 82
14 Days	€ 84
<i>extra day (after 14)</i>	€ 6

Trailer – M-WAVE 20"



Take the kids with you when you head out on your bike. You hitch the trailer to your bike, and your kid(s) sits in it, and then off you go in your bike together. You get to take your kid with you wherever you want, and you ride off into the sunset gloriously happy. It has room for two kids, with a towing capacity of 40 kg / 100 lbs.

Specifications

Trailer weight:	Aprox. 13Kg
Maximum load:	27 kg
GVW:	40 kg
Luggage part:	max 2 kg
Recommended Maximum speed:	13 km/h
Childhood:	12 months – 5 years
Maximum size Waist:	595 mm
Number of seats:	2

TRAILER

1 Day	€ 18
2 Days	€ 29
3 Days	€ 43
4 Days	€ 55
5 Days	€ 66
6 Days	€ 77
7 Days	€ 86
8 Days	€ 95
9 Days	€ 102
10 Days	€ 109
11 Days	€ 115
12 Days	€ 119
13 Days	€ 123
14 Days	€ 126
<i>extra day (after 14)</i>	€ 9

